

To: Smith, Molly[Smith.Molly@epa.gov]
From: Hesse, Jennifer
Sent: Fri 8/25/2017 8:57:48 PM
Subject: FW: SH Bell Update - Preliminary July/August Data

fyi

From: Jessica Sharrow Thompson [mailto:JSharrow@eckertseamans.com]
Sent: Friday, August 25, 2017 3:49 PM
To: Hesse, Jennifer; Graham, Dave; Ames, Mort; Morita, Julie; CDPHPERMITTS
Cc: Rusty Davis; JOHN BEDECK; Kim R. Walberg (kwalberg@taftlaw.com)
Subject: RE: SH Bell Update - Preliminary July/August Data

All -

My apologies as I meant to say we'll provide the final QA/QC metals data by Sept. 1, which is the date per our agreed upon schedule.

Thank you,

Jessica

Sent with BlackBerry Work (www.blackberry.com)

From: Jessica Sharrow Thompson <JSharrow@eckertseamans.com>

Date: Friday, Aug 25, 2017, 3:08 PM

To: Hesse, Jennifer <Jennifer.Hesse@cityofchicago.org>, Graham, Dave <Dave.Graham@cityofchicago.org>, Ames, Mort <Mort.Ames@cityofchicago.org>, julie.morita@cityofchicago.org <julie.morita@cityofchicago.org>, CDPHPPermits@cityofchicago.org <CDPHPPermits@cityofchicago.org>

Cc: Rusty Davis <rdavis@shbellco.com>, JOHN BEDECK <jbedeck@shbellco.com>, Kim R. Walberg (kwalberg@taftlaw.com) <kwalberg@taftlaw.com>

Subject: SH Bell Update - Preliminary July/August Data

All –

On behalf of SH Bell, I wanted to provide you with the preliminary manganese (Mn) average for July and the preliminary Mn average for August based on what we have so far.

This preliminary data is much better than June and reflects the time period before which the Norcon baghouse was operational and before the Ryerson baghouse had become fully operational.

The preliminary July Mn average is: 0.255 $\mu\text{g}/\text{m}^3$

The preliminary August Mn average (through 8/14) is: 0.256 $\mu\text{g}/\text{m}^3$

As you are all aware, it is important to assess the Mn trend over a long period of time as Mn inhalation is assessed on a chronic (at least one year) basis.

We will of course provide the final QA/QC metals data for July by August 1.

We are also working diligently on the response and revisions to the dust plan based on the CDPH August 16, 2017 letter. As we've made the revisions to the plan, it has occurred to us that restructuring the organization of the plan will go a long way to make things more clear and more easily understood, but that will involve a lot of work, especially with the holiday coming up next weekend.

As such, could we have an additional week to respond to the CDPH August 16, 2017 letter? (i.e., until 9/13/17) We'd be happy to have a call as soon as possible early next week to discuss.

Thank you very much and, of course, please let us know if you have any questions.

Regards,

Jessica

Jessica Sharrow Thompson | Member

ECKERT SEAMANS CHERIN & MELLOTT, LLC

600 Grant Street • 44th Floor • Pittsburgh, PA 15219

Direct (412) 566.5941 | Mobile (412) 596.8909

jsharrow@eckertseamans.com

eckertseamans.com | [bio](#) | [vCard](#)



This e-mail message and any files transmitted with it are subject to attorney-client privilege and contain confidential information intended only for the person(s) to whom this email message is addressed. If you have received this e-mail message in error, please notify the sender immediately by telephone or e-mail and destroy the original message without making a copy. Thank you.

Neither this information block, the typed name of the sender, nor anything else in this message is intended to constitute an electronic signature unless a specific statement to the contrary is included in this message.

This e-mail, and any attachments thereto, is intended only for use by the addressee(s) named herein and may contain legally privileged and/or confidential information. If you are not the intended recipient of this e-mail (or the person responsible for delivering this document to the intended recipient), you are hereby notified that any dissemination, distribution, printing or copying of this e-mail, and any attachment thereto, is strictly prohibited. If you have received

this e-mail in error, please respond to the individual sending the message, and permanently delete the original and any copy of any e-mail and printout thereof.